B.Tech. 5th Semester (F) Scheme (ME) Examination, December-2018 INTERNAL COMBUSTION ENGINE AND GAS TURBINE

Paper- ME-307-F

Time allowed: 3 hours] [Maximum marks: 100

Note: Attempt five questions. Question no. 1 is compulsory. Attempt any one question from each section.

- 1. (a) Explain the detail of firing order.
 - (b) What are the various factors that reduce the possibility of knocking?
 - (c) Explain the principle involved in the measurement of brake power.
 - (b) Discuss application of gas turbine. $4 \times 5 = 20$

Section- A

- (a) Draw the Otto cycle on p-V and T-s diagrams, mark the various processes.
 - (b) Explain mixture requirement for various operating conditions in S.I. engines. 10
- 3. (a) Determine the ideal efficiency of the diesel engine having a cylinder with bore 250 mm, stroke 375 mm and a clearance volume of 1500 cc, with fuel cut-off occurring at 6% of the stroke. Assume ratio of specific heat to be 1.4 of air.
 - (b) Derive an expression for the calculation of air fuel ratio for the carburetor. 10

Section- B

- 4. (a) What is meant by abnormal combustion? Explain the phenomenon of knock in S.I. engines. 10
 - (b) What are the desired properties of a lubricant? Explain how additives help to achieve the desired properties.
- (a) Why fins and baffles are required in an air-cooled engine? Explain various characteristics of an efficient cooling system.
 - (b) What is delay period and what are the factors that affect the delay period?

Section- C

- 6. The air flow to a four cylinder, four-stroke oil engine is measured by means of a 5 cm diameter orifice having a coefficient of discharge of 0.6. During a test on the engine the following data were recorded: bore = 10 cm; stroke = 12 cm; speed = 1200 rpm; brake torque =120 Nm; fuel consumption = 5 kg/h; calorific value of fuel = 42 MJ/kg; pressure drop through orific is 4.6 cm of water; ambient temperature and pressure are 17°C and 1 bar respectively. Calculate (i) the thermal efficiency on brake power basis (ii) the brake mean effective pressure and (iii) the volumetric efficiency based on free air condition.
- 7. (a) List the parameters by which performance of an engine is evaluated.
 - (b) Explain the current pollution scenario on the pollution front.

Section- D

- (a) Explain open and closed types of a gas turbine plants.
 - (b) Explain the following:

10

- (i) Slip factor
- (ii) Ratio of compression
- (iii) Pressure coefficient
- The pressure ratio of an open-cycle constant pressure gas turbine plant is 6. The temperature range of the plant is 15°C and 800°C.

Using the following data:-

$$C_{pa} = 1 \text{ kJ/kg-K}, C_{pg} = 1.075 \text{ kJ/kg-K}$$

and r = 1.4 for air and gases.

C.V. of fuel = 44,000 kJ/kg.

$$\eta_c\!=\!0.85,~\eta_t\!=\!0.90~and~\eta_{combustion}=0.95$$

Find:

- (i) Thermal efficiency of the plant
- (ii) I.P. of the plant, if the circulation of air is 5 kg/s
- (iii) A/F ratio
- (iv) Specific fuel-consumption

Neglect the losses in the system.