

*Roll No. ....*

**22644**

**M. Tech 2nd Semester (CSE) CBCS  
Scheme Examination – May, 2018**

**ALGORITHM DESIGN**

**Paper :MTCSE22C2**

**Time : Three Hours ] [ Maximum Marks : 100**

*Before answering the questions, candidates should ensure that they have been supplied the correct and complete question paper. No complaint in this regard, will be entertained after examination.*

**Note :** Attempt any *five* questions in all, selecting *one* question from each Unit. and question No. **1** is **compulsory**. All questions carry equal marks.

- 1.** (a) Explain how greedy paradigm of algorithm differs from that of dynamic programming.

$$5 \times 4 = 20$$

- (b) What do you mean by Amortized time analysis ?  
(c) For a problem P, if we are given an Input 'T' and a possible answer 'A', and we find a way to verify whether or not 'A' really is a valid answer to p given 'T', then that kind of problem is P ?  
(d) Explain general Backtracking Method.

### **UNIT – I**

- 2.** (a) Write an algorithm for selection sort. Give Best case and worst case running time of selection sort. 10  
(b) What is bi-connected component of a graph ? Give example and algorithm to find bi-connected component. 10

- 3.** (a) Describe a red-black tree. Explain the concept of rotations in red-black tree. 10  
(b) Write an algorithm for Quick sort and compare its time complexity with merge sort. 10

### **UNIT – III**

- 6.** (a) Explain Cook's theorem. 10  
(b) When are NP-hard and NP-Complete problems. 10  
**7.** Explain Knuth-Morris-Pratt algorithm by taking suitable example. Also compute its complexity. 20

### **UNIT – IV**

- 8.** Discuss the following : 10 

---

  
(a) PRAM Model  
(b) Absolute Approximation  
**9.** Explain Fully polynomial time approximation. 20 

---

### **UNIT – II**

- 4.** (a) Define all pair shortest path problem. Discuss solution of this problem based on dynamic programming. 10  
(b) Find the solution for the following fractional Knapsack problem using greedy method : 10  
 $n=3, m=50, w_i=(10, 20, 30), p_i=(60, 100, 120)$ .  
**5.** What is Branch and Bound method ? Solve the travelling salesperson problem with branch and bound by taking suitable example. 20